

Soil Pipe Cutters

RIDGID® Soil Pipe Cutters are designed to cut cement, cast-iron or clay pipes from 2" up to 18".

No. 226



Cat. No.	Model No.	Replac. Chain	Pipe Capacity Nominal Size		Weight kg	Std. Pack
			inch	mm O.D.		
69982	226	33670	2 - 6	50 - 150	8,3	1

- Cuts 2" - 6" (50 mm - 150 mm) cast-iron, cement and clay pipe. Ideal for use in tight spaces. Quick-opening feed screw can be operated with ratchet or any wrench.

Nos. 246, 246S, 246L, 248



Cat. No.	Model No.	Replac. Chain	Pipe Capacity Nominal Size		Weight kg	Std. Pack
			inch	mm O.D.		
32900	246	34575	2 - 6	50 - 150	11,3	1
14991	246S	1*	2 - 8	50 - 200	12,0	1
10531	246L	2*	2 - 12	50 - 300	15,0	1
62797	248	63287	2 - 18	50 - 450	19,0	1

1* = 34575 + 2 x 34570 / 2* = 2 x 34575

- Model 246 cuts 2" - 6" (50 mm - 150 mm) clay, cast-iron and cement pipe. Ratchet-action handle parallels pipe so trench can be minimum width.
- Model 248 has larger diameter cutting wheels and a longer handle. Designed to cut up to 18" (450 mm) concrete / clay pipe.

No. 228
Soil Pipe Assembly Tool



Cat. No.	Model No.	Pipe Capacity Nominal Size		Weight kg	Std. Pack
		inch	mm O.D.		
32905	228	2 - 8	50 - 200	10,3	1

- Handles all 2" through 8" gasketed soil pipe without extra, loose attachments. Easy assembly of Y, tee, and elbow fittings, as well as straight lengths from any angle.

